Serial No.: 10/690,717 Filed: October 22, 2003

Page : 2 of 11

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Previously Presented) A medical device, comprising:

an alloy comprising from about 3 to about 22 weight percent of chromium, less than about 4 weight percent of molybdenum, greater than about 50 weight percent of platinum, and iron,

wherein the alloy forms a portion of the medical device.

- 2. (Canceled)
- 3. (Original) The device of claim 1, wherein the alloy comprises from about 1 to about 4 weight percent of molybdenum.
- 4. (Original) The device of claim 1, wherein the alloy comprises greater than about 55 weight percent of platinum.
- 5. (Original) The device of claim 1, wherein the alloy comprises greater than about 60 weight percent of platinum.
- 6. (Original) The device of claim 1, wherein the alloy comprises greater than about 65 weight percent of platinum.
- 7. (Original) The device of claim 1, wherein the alloy comprises greater than about 70 weight percent of platinum.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 3 of 11

8. (Original) The device of claim 1, wherein the alloy comprises greater than about 80 weight percent of platinum.

- 9. (Original) The device of claim 1, wherein the alloy comprises greater than about 90 weight percent of platinum.
 - 10. (Original) The device of claim 1, wherein the alloy further comprises nickel.
- 11. (Original) The device of claim 10, wherein the alloy comprises less than about 6 weight percent of nickel.
- 12. (Original) The device of claim 1, wherein the alloy further comprises copper, manganese, nickel, phosphorus, silicon, nitrogen, sulfur, and carbon.
- 13. (Original) The device of claim 1, wherein the alloy comprises less than about 25 weight percent of iron.
- 14. (Original) The device of claim 1, wherein the alloy is substantially fully martensitic.
- 15. (Original) The device of claim 1, wherein the alloy is at least about 50% martensitic.
- 16. (Original) The device of claim 1, wherein the alloy is at least about 70% martensitic.
- 17. (Original) The device of claim 1, wherein the alloy is at least about 90% martensitic.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 4 of 11

18. (Original) The device of claim 1, wherein the alloy has a pitting resistance equivalent of greater than about 26.

- 19. (Original) The device of claim 1, wherein the alloy has a hardness of greater than about 24 HRC.
- 20. (Previously Presented) The device of claim 1, wherein the alloy has an ultimate tensile strength of greater than about 140 ksi.
- 21. (Original) The device of claim 1, wherein the alloy has a density of greater than about 11 g/cc.
- 22. (Original) The device of claim 1, wherein the device is adapted to be implanted in a body.
- 23. (Original) The device of claim 22, wherein the device is in the form of a fixation device, a prosthesis, a hip stem, a knee tray, or a dental prosthesis.
- 24. (Original) The device of claim 1, wherein the device is adapted to be a surgical instrument.
- 25. (Original) The device of claim 24, wherein the instrument is in the form of a pair of forceps, a clamp, a needle, a pair of scissors, or a scalpel.
- 26. (Original) The device of claim 1, wherein the device is in the form of a balloon catheter comprising a cutting element comprising the alloy.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 5 of 11

27. (Currently Amended) A medical device, comprising

an alloy comprising a stainless steel and greater than about 50% by weight of one or more first elements selected from the group consisting of platinum, palladium, iridium, rhodium, gold, silver, and lead.

- 28. (Original) The device of claim 27, wherein the stainless steel is a 300 series stainless steel.
- 29. (Original) The device of claim 28, wherein the stainless steel is 316 stainless steel.
- 30. (Original) The device of claim 27, wherein the alloy comprises greater than about 60% by weight of the first element.
- 31. (Original) The device of claim 27, wherein the alloy comprises greater than about 70% by weight of the first element.
- 32. (Original) The device of claim 27, wherein the alloy further comprises chromium and molybdenum.
- 33. (Original) The device of claim 27, wherein the alloy is at least about 50% martensitic.
 - 34. (Cancelled) The device of claim 27, wherein the first element is platinum.
- 35. (Original) The device of claim 27, wherein the alloy consists essentially of the stainless steel, one or more first elements, chromium, and molybdenum.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 6 of 11

36. (Original) The device of claim 35, wherein the stainless steel is a 300 series stainless steel, the first element is platinum, and the alloy includes less than about 22 weight percent of chromium, and less than about 4 weight percent of molybdenum.

- 37. (Canceled)
- 38. (Canceled)
- 39. (Canceled)
- 40. (Canceled)
- 41. (Previously Presented) A composition, comprising from about 3 to about 22 weight percent of chromium, from about 1 to about 4 weight percent of molybdenum, greater than about 50 weight percent of platinum, and iron.
 - 42. (Canceled)
 - 43. (Canceled)
- 44. (Original) The composition of claim 41, comprising greater than about 55 weight percent of platinum.
- 45. (Original) The composition of claim 41, comprising greater than about 60 weight percent of platinum.
- 46. (Original) The composition of claim 41, comprising greater than about 65 weight percent of platinum.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 7 of 11

47. (Original) The composition of claim 41, comprising greater than about 70 weight percent of platinum.

- 48. (Original) The composition of claim 41, further comprising nickel.
- 49. (Original) The composition of claim 48, comprising less than about 6 weight percent of nickel.
- 50. (Original) The composition of claim 41, further comprising copper, manganese, nickel, phosphorus, silicon, nitrogen, sulfur, and carbon.
- 51. (Original) The composition of claim 41, comprising less than about 25 weight percent of iron.
- 52. (Original) The composition of claim 41, wherein the composition is substantially fully martensitic.
- 53. (Original) The composition of claim 41, wherein the composition is at least about 50% martensitic.
- 54. (Original) The composition of claim 41, wherein the composition is at least about 70% martensitic.
- 55. (Original) The composition of claim 41, wherein the composition is at least about 90% martensitic.

Serial No.: 10/690,717 Filed: October 22, 2003

Page : 8 of 11

56. (Original) The composition of claim 41, wherein the composition has a pitting resistance equivalent of greater than about 26.

- 57. (Original) The composition of claim 41, wherein the composition has a hardness of greater than about 24 HRC.
- 58. (Original) The composition of claim 41, wherein the composition has an ultimate tensile strength of greater than about 140 ksi.
- 59. (Original) The composition of claim 41, wherein the composition has a density of greater than about 11 g/cc.